

Платформа OJS: короткий огляд та способи інтеграції з сервісами Crossref

БЕЗШЕЙКО ВІТАЛІЙ

PUBLIC KNOWLEDGE PROJECT

Розвиток OJS

- 2001 – OJS 1
- 2005 – OJS 2
- 2016 – OJS 3
- Найновіший стабільний реліз – OJS 3.1.1-4
- Демонстраційний сайт: <https://demo.publicknowledgeproject.org/ojs3/demo/>

Що нового?

Оновлений редакторський інтерфейс

Psychosomatic Medicine and General Practice ▾

Tasks 0

English

View Site

vitaliy

OJS
OPEN JOURNAL SYSTEMS

Submissions

Issues

Payments

Settings

Users & Roles

Tools

Administration

Submissions

My QueueUnassignedAll ActiveArchives

Help

All Active

Filters

New Submission

125	Azize Asanova Типові складні ситуації у взаємодії лікар-пацієнт в залежності від особистісних...	Production	▼
119	Davyd Tkachenko The Theatre of the Oppressed like modern way for prevention emotional burnout ...	Copyediting	▼
117	Nataliia Zavgorodnia, Anastasiya Gorecka Subjectivity in psychotherapeutical process	Production	▼
116	Anna Yakovenko, Kateryna Kleban Attitude towards patients with epilepsy	Production 2	▼
114	Ірина Сергіївна Потоцька, Тетяна Петрівна Рисинець ЕМОЦІЙНЕ ВИГОРАННЯ ЯК СКЛАДОВА КРИЗИ СЕРЕДИНИ НАВЧАННЯ У СТУДЕ...	Submission 1	▼
113	Юлія Володимирівна Волянська Medical and psychological support of women with repeated use of auxiliary repro...	Production	▼
112	Ірина Сергіївна Потоцька, Тетяна Петрівна Рисинець, Людмила Святосл... ПСИХОЛОГІЧНІ ОСОБЛИВОСТІ ПРОЯВУ КІБЕРБУЛІНГУ У СУЧАСНИХ ШКОЛЯРІВ	Review 1/2	▼

Що нового?


- Покращений зовнішній інтерфейс журналу.
- Є можливість вільного вибору та завантаження офіційних тем для журналу.
- Широкий вибір плагінів (модулів), які можна завантажити в один клік.
- Підтримка публікацій на основі формату JATS XML.
- Простота в налаштування та призначенні ролей для журналу, тобто рівень доступу осіб, які приймають участь у редакторському процесі, можна самостійно налаштовувати.
- Вихідний код OJS так само залишається відкритим, це ж стосується ліцензії (General Public License v.2), тобто програмне забезпечення так само залишається вільним.
- Форум, на якому можна знайти підтримку: <https://forum.pkp.sfu.ca/>
- OJS 3 вже перекладено українською мовою

ЗОВНІШНІЙ ВИГЛЯД

Зовнішній вигляд OJS із третьою версією зазнав істотних змін, щоб відповідати вимогам часу щодо потреб користувача, дизайну тощо. Офіційні теми:

- Default theme (стандартна, за замовчуванням)
- Bootstrap 3 theme (тема на основі сучасного фреймворку Bootstrap)
- Default Manuscript theme
- Health Sciences theme
- Classic theme
- Окрім того, в процесі розробки знаходяться ще 4 теми для OJS 3

Health Sciences Theme



Classic Theme

Demonstration Journal of the Classic Theme

[Register](#) [Login](#)

[CURRENT](#)

[ARCHIVES](#)

[ANNOUNCEMENTS](#)

[ABOUT](#)

[PUBLISHING @ SFU](#)

Vol 1 No 3 (2018): Advances in Research on Social Networking in Open and Distributed Learning

ARTICLES

An elaborated model of student support to allow for gender considerations in Asian distance education

 Insung Jung, Seongyoun Hong

[+ More Info](#)

[PDF](#)

[HTML](#)



Figure 1. A model of systemic student support for Asian distance learners.

Published April 12, 2018

Keywords

Asian Distance Education, distance learner support, quality assurance, student support

How to Cite

Jung, I., and S. Hong. "An Elaborated Model of Student Support to Allow for Gender Considerations in Asian Distance Education", *Demonstration Journal of the Classic Theme*, Vol. 1, no. 3, Apr. 2018, <https://demo.publicknowledgeproject.org/ojs3/demo/index.php/classic/article/view/818>.

[More Citation Formats](#)

[Copyright Notice](#)

Abstract

Research indicates that distance education (DE) students regard learner support systems as the key element in quality provision. This study sought to identify the key concerns of Asian DE students regarding support provision in different types of DE and dual-mode providers and formulate a student support model which took account of gender issues. An online survey was conducted with 1,113 distance learners in Japan, Korea, Hong Kong SAR China, Malaysia, India, Pakistan, Philippines, Singapore, and Thailand which required them to respond to open-ended questions regarding their main concerns over the quality of distance education. Their responses were analyzed with Nvivo 2.0 based on the framework of the Atkins (2008) ARCS model of distance learner support. It was found that in assessing the quality of DE the students valued 13 types of student support across five domains: affective, reflective, cognitive, systemic, and gender-considerate. It was also confirmed that there were gender differences in the students' perceptions of the need for student support. Building on these findings, an elaborated model for student support for Asian distance learners was developed from a systems perspective, and from this, a list of supporting strategies was proposed.

References

1. Mishchenko TC. Epidemiology of cerebrovascular diseases and organization of assistance to patients with cerebral stroke in Ukraine. *Ukrainian Psychoneurology Herald*. 2017; 25(9):22-24. Publisher Full Text
2. Zinchenko OM, Mishchenko TS. The state of the neurological service in Ukraine in 2015: a statistical and analytical guide. Kharkiv; 2016.
3. American Heart Association. Heart Disease and Stroke Statistics—2017 Update: A Report From the American Heart Association. *Circulation*. 2017; 135:146–60. Publisher Full Text
4. Harrison RA, Field TS. Post stroke pain: identification, assessment and therapy. *Cerebrovascular diseases*. 2015; 39:190–201. DOI
5. Cherenko T. Postnatal pain syndrome. *Ukrainian Neurological Journal*. 2014; 1:11–18.
6. Hansen AP, Marcussen NS, Klir H, Andersen G, Finnerup NB, Jensen TS. Pain following a stroke: a prospective study. *European Journal of Pain*. 2012; 16(8):1128–1136. PubMedDOI
7. Raghunathan S, Richard B, Khanna P. Causes and clinical features of headache in ischemic stroke. *Progress in Neurology and Psychiatry*. 2008; 12:21–23. DOI
8. Dzhuha TV, Fedorov SM, Gubenko VP. Pain musculoskeletal syndromes in older people: pathogenesis, clinic, therapeutic agents. Ternopil: Textbooks and manuals; 2017.
9. Macheret EL, Korkushko AO. Basics of Traditional Chinese Medicine in Reflexology. Kiev: Action; 2005.
10. Bossy Y. Bases for neurobiologiques des reflexotherapies. Paris: Masson; 1983.
11. Kendall DE. A Scientific Model for Acupuncture. *American Journal of Acupuncture*. 1989; 17(3):251–268.

Способи відображення статей у форматі JATS XML, Lens Viewer

Mon, 06 Nov 2017 in *Psychosomatic Medicine and General Practice*

Are influenza vaccines effective? Lessons learned from the Cochrane Reviews

Vitaliy Bezsheiko

DOI: 10.26766/pmgp.v2i4.85

Abstract

Vaccines for a long time have been used to prevent influenza. They are often recommended for healthy adults before an influenza season, despite the low risk of complications due to this infection in them. The article reviews the rationale for such recommendations.

Main Text

Background

Contents

References

Info

Abstract

Main Text

Background

Vaccination of healthy adult

General characteristics

Inactivated parenteral vaccines

Live vaccines in aerosol form

The clinical significance of the results

Vaccination of healthy children

Conclusion

Additional information

Competing interests

Способи відображення статей у форматі JATS XML, JATS Parser



ARTICLES

SUBMITTED: 2018-08-19

PUBLISHED: 2018-08-19

The cognitive distortion phenomenon and its association with increased amygdala activity

Old Gregg^{*}, Second Author^{*}, Third Author^{*}

PSYCHIATRY • PSYCHOTHERAPY • COGNITIVE • BEHAVIORAL • AMYGDALA • ANOTHER KEYWORD

Abstract



Background. Sed vulputate luctus tortor, facilisis rutrum quam accumsan sed. Aenean nec aliquet nisl, convallis finibus elit. Suspendisse posuere neque eu euismod tempor. Curabitur eleifend massa vitae ex placerat gravida. Nam consequat magna eget elit dignissim consequat. Duis lacinia, libero eu eleifend interdum, ex lacus mattis urna, in dapibus nibh nibh id risus. Suspendisse potenti.

Methods. Mauris ut nulla ante. Fusce pharetra aliquet neque, id efficitur ex consequat sit amet. Proin sollicitudin eu est at faucibus. Vivamus eu risus lacus. Ut nec orci vitae leo fermentum facilisis non blandit risus. Nunc non arcu ac neque sagittis malesuada. Duis quis mauris vitae lorem rutrum dapibus blandit at ipsum. Sed tortor nibh, aliquet et mauris a, pellentesque gravida arcu. Cras tristique nisi ultricies, gravida tortor quis, pretium metus.

Results. Vivamus arcu ante, iaculis feugiat feugiat vitae, aliquam ac purus. Donec ex turpis, hendrerit vel ultricies id, iaculis a odio. Fusce congue pretium ante, in feugiat nulla elementum in. Donec turpis felis, porta ac tempus eget, accumsan nec libero. Etiam rutrum, tortor et varius bibendum, nisi dolor molestie lectus, volutpat euismod dui justo a diam. Aliquam sapien mauris, molestie a lacus a, fermentum suscipit nunc. Sed eros lectus, hendrerit sit amet aliquet sit amet, mollis vitae purus. Morbi urna nulla, ultrices id facilisis sit amet, placerat eget tellus. Proin semper nisi eget bibendum euismod. Proin dignissim in mauris vel accumsan. Sed nec sodales metus. Mauris suscipit erat sed dui consectetur auctor. Quisque eget ex tortor. In molestie, urna id ullamcorper sagittis, libero risus gravida massa, in efficitur sapien urna lacinia sem. Donec interdum libero at tempor auctor.

Conclusion. Ut a lorem non libero semper euismod in ut tellus. Aenean aliquam congue enim nec porttitor. Ut mauris libero, auctor sed finibus ac, gravida et mauris. Nullam vel mattis tortor, sit amet vestibulum ipsum. Nulla pharetra augue at tortor finibus, quis auctor purus sagittis. Aliquam quam arcu, dictum feugiat faucibus sit amet, commodo et lorem. Integer ut ligula accumsan, luctus sapien ac, fringilla dui.


Introduction

Lorem ipsum dolor sit amet, **some bold text** *italic text*. Pellentesque non eleifend est. Nunc magna quam, mattis ultrices bibendum quis, tincidunt at nisl. Nunc laoreet feugiat

- ☐ Abstract
- ☐ Introduction
- ☐ Material and methods
 - ☐ Sample description
 - ☐ Statistical analysis
 - ☐ Evaluation of the condition
- ☐ Results
 - ☐ Main outcome
 - ☐ Secondary outcomes
 - ☐ Tertiary outcomes
- ☐ Conclusions
- ☐ Additional Information
- ☒ Competing interests
- ☐ References

Інтеграція з Crossref

- Стандартна інсталяція OJS 3 включає в себе плагін (модуль), який дозволяє відсилати метадані по статті у автоматичному або напівавтоматичному режимі у Crossref
- Список плагінів доступний через адміністративний інтерфейс → Налаштування → Веб-сайт → плагіни → встановлені модулі
- Назва плагіну «Модуль експорту у CrossRef XML» або «CrossRef XML Export Plugin». Він за замовчуванням встановлений та активований



Import/Export Plugins (7)		
▶ Users XML Plugin	Import and export users	☒
▼ CrossRef XML Export Plugin	Export article metadata in CrossRef XML format.	☒
Import/Export Data Delete Upgrade		
▶ DataCite Export/Registration Plugin	Export or register issue, article, galley and supplementary file metadata in DataCite format.	☒
▶ Native XML Plugin	Import and export articles and issues in OJS's native XML format.	☒
▶ DOAJ Export Plugin	Export Journal for DOAJ.	☒
▶ PubMed XML Export Plugin	Export article metadata in PubMed XML format for indexing in MEDLINE.	☒
▶ mEDRA Export/Registration Plugin	Export issue, article and galley metadata in Onix for DOI (O4DOI) format and register DOIs with the mEDRA registration agency.	☒

Інтеграція з Crossref

Після натискання «Import/Export Data» з'явиться меню, яке дозволяє вносити метадані до Crossref автоматично (для цього слід ввести логін та пароль доступу до Crossref)

Settings

Articles

[DOI Plugin Settings](#)

The following items are required for a successful CrossRef deposit.

This field is required.

Depositor name *

This field is required.

Depositor email *

If you would like to use this plugin to register Digital Object Identifiers (DOIs) directly with CrossRef you will need a username and password (available from [CrossRef](#)) in order to your own username and password you can still export into the CrossRef XML format, but you cannot register your DOIs with CrossRef from within OJS.

Username

Password

Інтеграція з Crossref

Вкладка «Articles» (Статті) дозволяє автоматично у необхідному форматі відсилати метадані по статті (статтям), якщо логін та пароль введені вірно. Або можна завантажити одним кліком XML файл, який відповідає вимогам Crossref, та завантажити його на сайті Crossref самостійно.

☐	68	Bezsheiko; How does the brain affect cardiovascular health?	Vol 2 No 3 (2017)	10.26766/pmgp.v2i3.68	Marked active
☐	35	Dzeruzhinska et al.; Some new approaches for prevention of schizophrenia spectrum disorders in patients exposed to exogenous stressors	Vol 2 No 3 (2017)	10.26766/pmgp.v2i3.35	Marked active
☒	38	Khaustova; Resistant depression: criteria for determination, risk factors and therapeutic strategies	Vol 2 No 3 (2017)	10.26766/pmgp.v2i3.38	Marked active
Items per page: 25 ▼				1 - 25 of 47 items 1	2 > >>

☒ Validate XML before the export and registration.

Submit

Check status

Download XML

Mark active

```
<journal_metadata>
  <full_title>Psychosomatic Medicine and General Practice</full_title>
  <abbrev_title>PMGP</abbrev_title>
  <issn media_type="electronic">2519-8572</issn>
</journal_metadata>
<journal_issue>
  <publication_date media_type="online">
    <month>02</month>
    <day>20</day>
    <year>2018</year>
  </publication_date>
  <journal_volume>
    <volume>3</volume>
  </journal_volume>
  <issue>1</issue>
</journal_issue>
<journal_article xmlns:jats="http://www.ncbi.nlm.nih.gov/JATS1" xmlns:ai="http://www.crossref.org/AccessIndicators.xsd" publication_type="full_text" metadata_distribution_opts="any">
  <titles>
    <title>Criteria for limited sanity in persons who have committed criminal sexual offenses</title>
  </titles>
  <contributors>
    <person_name contributor_role="author" sequence="first">
      <given_name>Elena</given_name>
      <surname>Kozeraçkaya</surname>
    </person_name>
  </contributors>
  <jats:abstract xmlns:jats="http://www.ncbi.nlm.nih.gov/JATS1">
    <jats:p>The results of scientific research conducted within the framework of the doctoral thesis "Forensic psychiatric evaluation of persons who have committed sexual criminal offences." For the purpose of the study, the author analyzed 279 cases of forensic psychiatric examinations of persons who committed the sexual offence and were at the forensic psychiatric examination in Kiev Center for Forensic Psychiatric Examination during 2001-2015 (15 years). To determine the relationship between the degree of opportunities to realize their actions/manage them and expert's conclusion, from the group of compos mentis was derived a group of partially compos mentis patients; it was formed artificially, based on the national concept of "limited sanity". As a result, we have identified socio-demographical and clinical criteria for "limited compos mentis" in forensic psychiatric examinations of persons who have committed sexual offences.</jats:p>
  </jats:abstract>
  <publication_date media_type="online">
    <month>02</month>
    <day>20</day>
    <year>2018</year>
  </publication_date>
```

Контакти та посилання

- Безшейко Віталій: vitaliybezsh@gmail.com
- Public Knowledge Project, website: <https://pkp.sfu.ca/>
- Public Knowledge Project, forum: <https://forum.pkp.sfu.ca/>
- Скачати OJS: https://pkp.sfu.ca/ojs/ojs_download/
- OJS demo: <https://demo.publicknowledgeproject.org/ojs3/demo/>
- OJS testdrive:
<https://demo.publicknowledgeproject.org/ojs3/testdrive/index.php/journal>
- Хостинг журналу від РКР: <https://pkpservices.sfu.ca/content/journal-hosting>